

Agency: Commerce, Community and Economic Development**Grants to Municipalities (AS 37.05.315)****Grant Recipient: Anchorage****Project Title:**

Anchorage - Police Department Eagle River Sub-Station Relocation

State Funding Requested: \$ 500,000**House District: 17 - I**

One-Time Need

Brief Project Description:

Relocate existing APD Substation to the Valley River Center Building and accommodate a full time police clerk.

Funding Plan:**Total Cost of Project: \$500,000**Funding Secured

Amount FY

Other Pending Requests

Amount FY

Anticipated Future Need

Amount FY

There is no other funding needed

Detailed Project Description and Justification:

Relocation of existing APD Substation to Valley River Center which is to become the new town hall for the Chugiak-Eagle River area. The addition of a full time police clerk is requested regardless of the substation relocation though the existing substation would require safety upgrades to accommodate this request. Office remodel to accommodate security from public visitors, including ballistic protected barrier walls and windows, video security screening system, alternate secure office egress route, and upgrade network/computer systems. Space will be provided for two to three detective offices, interview room, intoxicate (breathalyzer) room, public reception area, and a patrol conference/briefing combined area.

Project Timeline:

Relocation is scheduled for summer 2008.

Entity Responsible for the Ongoing Operation and Maintenance of this Project:

Municipality of Anchorage

Grant Recipient Contact Information:

Contact Name: Steve Miko

Phone Number: 786-8520

Address: 4501 Elmore Rd., Anchorage, AK 99507

Email: smiko@muni.org

Has this project been through a public review process at the local level and is it a community priority? ☒ Yes ☐ No

2008 STATE LEGISLATIVE PROGRAM**MUNICIPAL PRIORITY ISSUES****Capital Budget****Public Safety****PROJECT NAME:** APD EAGLE RIVER SUB-STATION RELOCATION**PROJECT TYPE:** Facility Renovation**GRANT REQUEST:** \$500,000**PROJECT DESCRIPTION:**

Relocate existing APD Substation to Valley River Center Building and accommodate a full time police clerk with minimal staffing. Office remodel to accommodate security from public visitors, including ballistic protected barrier walls and windows, video security screening system, alternate secure office egress route, and upgrade network/computer systems. Space will be provided for two to three detective offices, interview room, intoxicate (breathalyzer) room, public reception area, and a patrol conference/briefing combined area.

COMMENTS:

The addition of a "full time" police clerk in the Eagle River Substation has been a priority request from the Eagle River representatives for a number of years.

JUSTIFICATION:

The current substation is not adequately secured for public information access and will not safely house a full time clerk in its current configuration. The current substation could be upgraded to accommodate a full time clerk with public access for approximately \$130,000 to \$175,000 but would still be located in a relatively "out of the way" area not easily accessed by the community. The relocation of this substation and subsequent expansion in the Valley River Center complex would allow community members increased availability to police department resources at a prominent centralized joint municipal department location. In addition, the current substation could be converted back to Fire Department occupancy since they are in need of additional space in the Eagle River area.

(000s)

FUNDING FORECAST	2008	2009	2010	2011	2012	2013	Total
9825 - State Grant Revenue - Direct	500	0	0	0	0	0	500
Project Total	500	0	0	0	0	0	500

Legislative District(s)**House:** District 50-Anchorage Areawide**Community Council(s):** Areawide**CONTACT PERSON:** Miko, Steve, Resource Manager; Anchorage Police Department; 786-8520; smiko@muni.org